RUNAWAY AND HOMELESS YOUTH AND RELATIONSHIP VIOLENCE

Evaluating Your Program – What Do You Need to Know?

Prepared by Elizabeth Miller, M.D., Ph.D.
Assistant Professor in Pediatrics
U.C. Davis School of Medicine

The complexity of working with vulnerable populations is compounded by the fact that minor consent and confidentiality laws, as well as mandated reporting requirements, vary from state to state. All Runaway and Homeless Youth (RHY) and Domestic Violence (DV) service providers are encouraged to consult with legal advocates familiar with working with vulnerable youth and the local laws, as well as consulting with national organizations such as National Center for Youth Law and Break the Cycle.

Laws for confidential service delivery (and associated data collection) also vary from state to state. Anyone trained in conducting intake assessments for RHY should be trained in assessing for violence, but should also ensure that youth are aware of the limits of confidentiality (conditional confidentiality) prior to proceeding with any assessment where mandated reporting requirements are likely to arise. The critical balance of ensuring safety, protecting privacy and supporting confidentiality, while fulfilling mandated reporting requirements cannot be overstated.

Conducting program evaluation and research with RHY which involves any data collection above information collected that is necessary for service delivery requires that the procedures are reviewed by a research ethics board to ensure that the safety of this vulnerable population is of foremost concern. For the collection of any research data that involves sensitive subjects, evaluators should obtain a federal Certificate of Confidentiality (issued by the National Institutes of Health) to protect the data from potential subpoena.

Due to the challenges of conducting research with this vulnerable population, many of the studies on RHY rely on cross-sectional surveys (surveys done at a single point in time), tend to be biased towards youth who are using services, primarily urban settings, and rely on youth self-report of their behaviors. ²⁵ In light of the ethical challenges of data collection as well as difficulty collecting information on sensitive topics such as violence, including whether waiver of parental consent is appropriate or not, numerous authors have written about research with this population without clear consensus. ²⁵⁻²⁹ Prior to engaging in data collection, agency providers are strongly encouraged to consult with a research ethics board to ensure that safety and confidentiality of participants are well protected.

Evaluation design

The evaluation design for an RHY/DV provider partnership will vary depending on the key outcomes of interest. An evaluation may want to focus initially on service providers' (including street outreach workers) knowledge, attitudes, and behaviors, e.g., How have the RHY program and DV agency's providers changed in their level of knowledge of abusive behaviors among RHY, their level of confidence in assessing for partner violence, and their experiences with handling positive disclosures?

Another strategy for basic data collection that is minimal risk to youth is to conduct an anonymous needs assessment survey. On-line survey software can facilitate such data collection, where youth utilizing an RHY program can be asked to complete an anonymous

survey on-line after they have completed their intake where there is absolutely no way for providers to know who entered what information. This strategy allows for data collection about the population's violence experiences and related risk behaviors (including suicidality and depressive symptoms) at baseline, but as the data collected is anonymous, positive responses cannot be tracked to any one individual. Unfortunately, this kind of aggregate level of data collection cannot be used to conduct a pre-post evaluation. Another key consideration is the low literacy levels of RHY: some researchers have argued for doing face to face interviews to address low literacy and comprehension barriers, while others have utilized computer-assisted audio technology (ACASI).

To assess whether the incorporation of a DV curriculum into RHY programming has had measurable impact in changing youth knowledge, attitudes, and behaviors, another strategy to protect the anonymity of subjects is to have each participant create a secret code which only they will know that they enter on both pre and post tests, which allows for the survey information to be linked (whether there was individual level change) without anyone being able to discern the identity of any participant.

Depending on the level of confidential services provided in the context of an RHY program, the participant may be receiving services (related to pregnancy, sexual health, substance abuse) as 'mature minors.' In this instance, 'mature minors' may be able to consent for their own participation in a study, if obtaining parental consent would breach confidentiality and potentially result in the minor refusing all care. This concept of 'mature minor' varies state to state, and different research ethics boards are likely to interpret the definition of a 'mature minor' differently.

More intensive data collection (including in-depth interviews) may require adult caregiver consent (especially if they are wards of the state), and providers are advised to consult with their local research ethics board (which may be a local academic medical center) prior to collecting data that is in addition to the basic information collected for service provision.

1. Rew L, Taylor-Seehafer M, Thomas N, Yockey R. Correlates of resilience in homeless adolescents. J Nurs Scholarsh 2001;33:33-40.

^{2.} Kipke MD, Simon TR, Montgomery SB, Unger JB, Iversen EF. Homeless youth and their exposure to and involvement in violence while living on the streets. Journal of Adolescent Health 1997;20:360-7.

^{3.} Tyler KA, Hoyt DR, Whitbeck LB, Cauce AM. The impact of childhood sexual abuse on later sexual victimization among runaway youth. Journal of Research on Adolescence 2001;11:151-76.

^{4.} Tyler K, Whitbeck L, Hoyt D, Cauce A. Risk factors for sexual victimization among male and female homeless and runaway youth. J Interpers Violence 2004;19:503-20.

^{5.} Tyler K. A qualitative study of early family histories and transitions of homeless youth. J Interpers Violence 2006;21:1385-93.

^{6.} Thrane LE, Hoyt DR, Whitbeck LB, Yoder KA. Impact of family abuse on running away, deviance, and street victimization among homeless rural and urban youth. Child Abuse & Neglect 2006;30:1117-28.

^{7.} Yoder KA, Whitbeck LB, Hoyt DR. Event history analysis of antecedents to running away from home and being on the street. American Behavioral Scientist 2001;45:51-65.

^{8.} Chen XJ, Tyler KA, Whitbeck LB, Hoyt DR. Early sexual abuse, street adversity, and drug use among female homeless and runaway adolescents in the midwest. Journal of Drug Issues 2004;34:1-21.

^{9.} Whitbeck LB, Hoyt DR, Ackley KA. Families of homeless and runaway adolescents: A comparison of parent/caretaker and adolescent perspectives on parenting, family violence, and adolescent conduct. Child Abuse & Neglect 1997;21:517-28.

^{10.} Gwadz MV, Nish D, Leonard NR, Strauss SM. Gender differences in traumatic events and rates of post-traumatic stress disorder among homeless youth. Journal of Adolescence 2007;30:117-29.

- 11. Chen XJ, Thrane L, Whitbeck LB, Johnson K. Mental disorders, comorbidity, and postrunaway arrests among homeless and runaway adolescents. Journal of Research on Adolescence 2006;16:379-402.
- 12. Tyler KA, Whitbeck LB, Hoyt DR, Yoder KA. Predictors of self-reported sexually transmitted diseases among homeless and runaway adolescents. Journal of Sex Research 2000;37:369-77.
- 13. Tyler K, Johnson K. Trading sex: voluntary or coerced? The experiences of homeless youth. J Sex Res 2006;43:208-16.
- 14. Tyler K. Risk Factors for Trading Sex among Homeless Young Adults. Arch Sex Behav 2007.
- 15. Tyler K, Whitbeck L, Chen X, Johnson K. Sexual health of homeless youth: prevalence and correlates of sexually transmissible infections. Sex Health 2007;4:57-61.
- 16. Cochran B, Stewart A, Ginzler J, Cauce A. Challenges faced by homeless sexual minorities: comparison of gay, lesbian, bisexual, and transgender homeless adolescents with their heterosexual counterparts. Am J Public Health 2002;92:773-7.
- 17. Tyler K. A comparison of risk factors for sexual victimization among gay, lesbian, bisexual, and heterosexual homeless young adults. Violence Vict 2008;23:586-602.
- 18. Saewyc EM, Skay CL, Pettingell SL, et al. Hazards of stigma: The sexual and physical abuse of gay, lesbian, and bisexual adolescents in the United States and Canada. Child Welfare 2006;85:195-213.
- 19. Greene J, Ennett S, Ringwalt C. Prevalence and correlates of survival sex among runaway and homeless youth. Am J Public Health 1999;89:1406-9.
- 20. Boris NW, Heller SS, Sheperd T, Zeanah CH. Partner violence among homeless young adults: Measurement issues and associations. Journal of Adolescent Health 2002;30:355-63.
- 21. Tyler K, Melander L, Noel H. Bidirectional Partner Violence Among Homeless Young Adults: Risk Factors and Outcomes. J Interpers Violence 2008.
- 22. Miller E, Decker MR, Reed E, Raj A, Hathaway JE, Silverman JG. Male partner pregnancy-promoting behaviors and adolescent partner violence: Findings from a qualitative study with adolescent females. Ambulatory Pediatrics 2007;7:360-6.
- 23. Thompson S, Bender K, Lewis C, Watkins R. Runaway and pregnant: risk factors associated with pregnancy in a national sample of runaway/homeless female adolescents. J Adolesc Health 2008;43:125-32.
- 24. Haley N, Roy E, Leclerc P, Boudreau J, Boivin J. Characteristics of adolescent street youth with a history of pregnancy. J Pediatr Adolesc Gynecol 2004;17:313-20.
- 25. Zerger S, Strehlow AJ, Gundlapalli AV. Homeless young adults and behavioral health An overview. American Behavioral Scientist 2008;51:824-41.
- 26. Ensign J. Ethical issues in qualitative health research with homeless youths. J Adv Nurs 2003;43:43-50.
- 27. Ensign J, Ammerman S. Ethical issues in research with homeless youths. J Adv Nurs 2008;62:365-72.
- 28. Meade M, Slesnick N. Ethical considerations for research and treatment with runaway and homeless adolescents. J Psychol 2002;136:449-63.
- 29. Rew L, Taylor-Seehafer M, Thomas N. Without parental consent: conducting research with homeless adolescents. J Soc Pediatr Nurs;5:131-8.